

KITSEN®

The synonym of safety and Efficiency

KITSEN ALUMINUM TOWER

PREMIUM SOLUTIONS FOR YOUR WORK AT HEIGHT

www.kitsen.com



KITSEN®

KITSEN Formwork and Scaffolding Technology Co., Ltd
广东奇正模架科技有限公司

Add: Kitsen Industrial Park, Beiguan Town, Yangjiang, Guangdong, China.

Zip: 529931

Tel: +86 662 6698891

E-mail: info@kitsen.com

Fax: +86 662 6698800

Web: <http://www.kitsen.com>

KITSEN Aluminum Tower Scaffolding

KITSEN Aluminum Tower Scaffolding is manufactured with Robot Welding technology to offer you the utmost safety for building maintenance cleaning and decoration works at different heights.



FEATURES

- Manufactured and Tested in compliance with BS EN1004:2004
- High Strength Aviation Aluminum structure for better durability and lighter weight
- Through the Trap Build method
- Ribbed rung tubing for increased grip
- Self closing trapdoors and wind lock clips applied
- Spigot connecting mechanism for easy assembly and dismantling
- Rigid Brace Claw Design
- Slip Resistant Platforms with closing trapdoors and wind locks
- Three ladder designs: Straight Ladders, Integral Ladders and Clip-in Ladders to suit your special needs
- Various tower widths available: 750mm, 850mm, 1250mm, 1350mm, 1450mm
- Flexible combination of different components for various project purposes
- Safe working load of 272kg per platform level up to a maximum of 1000kg per tower (including self weight)



WPK Series



Aluminum Tower Series 100
Length: 2m
Width: 1.35m

Serial#	Platform Height(mm)	Tower Height(m)
WPK101	2.45	3.45
WPK102	2.9	3.9
WPK103	3.37	4.37
WPK104	3.84	4.84
WPK105	4.3	5.3
WPK106	4.77	5.77
WPK107	5.23	6.23
WPK108	5.7	6.7
WPK109	6.16	7.16
WPK110	6.62	7.62
WPK111	7	8
WPK112	7.55	8.55

Serial#	Platform Height(mm)	Tower Height(m)
WPK113	8	9
WPK114	8.48	9.48
WPK115	8.95	9.95
WPK116	9.4	10.4
WPK117	9.87	10.87
WPK118	10.33	11.33
WPK119	10.8	11.8
WPK120	11.26	12.26
WPK121	11.73	12.73
WPK122	12.19	13.19
WPK123	12.65	13.65
WPK124	13.1	14.1



Aluminum Tower Series 500
Length: 2m
Width: 1.35m

Serial#	Platform Height(mm)	Tower Height(m)
WPK500	1.98	2.98
WPK501	2.45	3.45
WPK502	2.9	3.9
WPK503	3.37	4.37
WPK504	3.84	4.84
WPK505	4.3	5.3
WPK506	4.77	5.77
WPK507	5.23	6.23
WPK508	5.7	6.7
WPK509	6.16	7.16
WPK510	6.62	7.62
WPK511	7	8
WPK512	7.55	8.55

Serial#	Platform Height(mm)	Tower Height(m)
WPK513	8	9
WPK514	8.48	9.48
WPK515	8.95	9.95
WPK516	9.4	10.4
WPK517	9.87	10.87
WPK518	10.33	11.33
WPK519	10.8	11.8
WPK520	11.26	12.26
WPK521	11.73	12.73
WPK522	12.19	13.19
WPK523	12.65	13.65
WPK524	13.1	14.1



Aluminum Tower Series 200
Length: 2m
Width: 0.75m

Serial#	Platform Height(mm)	Tower Height(m)
WPK201	2.45	3.45
WPK202	2.9	3.9
WPK203	3.37	4.37
WPK204	3.84	4.84
WPK205	4.3	5.3
WPK206	4.77	5.77
WPK207	5.23	6.23
WPK208	5.7	6.7
WPK209	6.16	7.16
WPK210	6.62	7.62
WPK211	7	8
WPK212	7.55	8.55

Serial#	Platform Height(mm)	Tower Height(m)
WPK213	8	9
WPK214	8.48	9.48
WPK215	8.95	9.95
WPK216	9.4	10.4
WPK217	9.87	10.87
WPK218	10.33	11.33
WPK219	10.8	11.8
WPK220	11.26	12.26
WPK221	11.73	12.73
WPK222	12.19	13.19
WPK223	12.65	13.65
WPK224	13.1	14.1



Aluminum Tower Series 600
Length: 2m
Width: 0.75m

Serial#	Platform Height(mm)	Tower Height(m)
WPK600	1.98	2.98
WPK601	2.45	3.45
WPK602	2.9	3.9
WPK603	3.37	4.37
WPK604	3.84	4.84
WPK605	4.3	5.3
WPK606	4.77	5.77
WPK607	5.23	6.23
WPK608	5.7	6.7
WPK609	6.16	7.16
WPK610	6.62	7.62
WPK611	7	8
WPK612	7.55	8.55

Serial#	Platform Height(mm)	Tower Height(m)
WPK613	8	9
WPK614	8.48	9.48
WPK615	8.95	9.95
WPK616	9.4	10.4
WPK617	9.87	10.87
WPK618	10.33	11.33
WPK619	10.8	11.8
WPK620	11.26	12.26
WPK621	11.73	12.73
WPK622	12.19	13.19
WPK623	12.65	13.65
WPK624	13.1	14.1