


**KITSEN®**

The synonym of safety and Efficiency

## KITSEN FOLDING SCAFFOLD

Premium Solutions for Your DIY Work

[www.kitsen.com](http://www.kitsen.com)



**KITSEN®**

Yangjiang KITSen Construction Hardware Co.,Ltd.  
阳江市奇正建筑五金有限公司

Add: Fengwei Shan, Beiguan Town, Yangjiang, Guangdong, China.  
Zip: 529931  
Tel: +86 662 6698891 Fax: +86 662 6698800  
E-mail: [info@kitsen.com](mailto:info@kitsen.com) Web: <http://www.kitsen.com>





## KITSEN Folding Scaffold

KITSEN Folding Scaffold series are light in weight and easy in operation. There are various sizes and designs to meet your special working requirements both indoors and outdoors. These scaffold series are especially ideal for internal and external decoration and maintenance.

### Advantages

- Tested Safety
- Light Weight
- Easy to handle
- Attractive display
- Convenient to transport and store
- Durable, Maintenance Free



## Z Type Folding Scaffold

### Aluminum Z Type Folding Scaffold w/Guardrail System

ERP #: 14230600110

Material: Aluminum 6061-T6

Size ( mm ) : 1910X680X2830

Weight: 47.3kg

Safe Working Load: 150kg



### Aluminum Z Type Folding Scaffold w/o Guardrail System

ERP #: 14230600160

Material: Aluminum 6061-T6

Size(mm): 1910X680X1803

Weight: 36.9kg

Safe Working Load: 150kg



## V Type Folding Scaffold

### Aluminum V Type Folding Scaffold w/ Guardrail System

ERP #: 14230600030  
Material: Aluminum 6061-T6  
Size(mm): 1400X680X2852  
Weight: 49.6kg  
Safe Working Load: 150kg



### Aluminum V Type Folding Scaffold w/o Guardrail System

ERP #: 14230600080  
Material: Aluminum 6061-T6  
Size(mm): 1400X680X1852  
Weight: 26.4kg  
Safe Working Load: 150kg



## Easy Folding Scaffold

NEW

### Aluminum Easy Folding Scaffold

ERP #: 14230600200  
Material: Aluminum 6061-T6  
Size(mm): 1910X680X2000  
Weight: 39.6kg  
Safe Working Load: 150kg





## X Type Folding Scaffold Aluminum

### 4ft Aluminum X Type Folding Scaffold

ERP #: 14220400010  
 Material: Aluminum 6061-T6  
 Size(mm): 1168X533X1222  
 Weight: 16.4kg  
 Safe Working Load: 150kg



### 4ft Aluminum X Type Folding Scaffold w/ single side wheels

ERP #: 14240400020  
 Material: Aluminum 6061-T6  
 Size(mm): 1168X533X1222  
 Weight: 14.6kg  
 Safe Working Load: 150kg



### 5ft Aluminum X Type Folding Scaffold

ERP #: 14220500030  
 Material: Aluminum 6061-T6  
 Size(mm): 1250X600X1524  
 Weight: 24.4kg  
 Safe Working Load: 200kg



### 6ft Aluminum X Type Folding Scaffold

ERP #: 14220600010  
 Material: Aluminum 6061-T6  
 Size(mm): 1400X700X1828  
 Weight: 30.1kg  
 Safe Working Load: 280kg



## X Type Folding Scaffold Steel

### 4ft Steel X Type Folding Scaffold

ERP #: 14220400053  
 Material: Steel Q235  
 Size(mm): 1168X533X1220  
 Weight: 32.1kg  
 Safe Working Load: 150kg



### 4ft Steel X Type Folding Scaffold w/ single side wheels

ERP #: 14220400033  
 Material: Steel Q235  
 Size(mm): 1168X533X1220  
 Weight: 32.9kg  
 Safe Working Load: 150kg



### 5ft Steel X Type Folding Scaffold

ERP #: 14220500013  
 Material: Steel Q235  
 Size(mm): 1250X600X1524  
 Weight: 25.7kg  
 Safe Working Load: 200kg



### 6ft Steel X Type Folding Scaffold

ERP #: 14220600023  
 Material: Steel Q235  
 Size(mm): 1400X700X1727  
 Weight: 53.8kg  
 Safe Working Load: 280kg

